

NEW
CAT
ALOG
PRO
DUCT



☎ 800 751 838 | www.cellux.com



180 YEARS

OF EXPERIENCE



100 YEARS

OF INNOVATION



100 COUNTRIES

OF DISTRIBUTION WORLDWIDE

With over 180 years in the adhesive tape industry, and a strong presence in several countries around the world, Cellux has arrived in the United States to offer excellent quality adhesive tapes at the most competitive prices.

We understand our customer needs: when we talk about adhesive tape, we talk about effectiveness, unobtrusiveness when adding accessories, the need to meet each person by offering just what they need in the most accessible way.

Optimize your operation with Cellux and find any tape solution with our high-quality line of products: from packaging and masking tapes to refrigeration tapes and more.

CONTENTS

MARKING SOLUTIONS

- Railway marking tape
- General purpose marking tape
- Yellow general marking tape
- Industrial grade marking tape
- Blue pattern marking tape
- Yellow body shop marking tape
- High performance painting marking tape
- High visibility orange marking tape
- High performance marking tape
- Superior fire line marking tape (metal tape)

PACKAGING SOLUTIONS

- General purpose
- Medium grade
- Heavy grade
- Heavy duty packaging tape
- Industrial grade packaging tape

SURFACE PROTECTION SOLUTIONS

- Best touch tape
- Blue Protection Film - windows cover

SPECIALTY PACKAGING SOLUTIONS

- Aluminium packaging tape
- Reinforced aluminium tape

REFRIGERATION SOLUTIONS

- Insulation
- Utility grade duct tape
- Premium grade duct tape
- Reinforced foil tape

FOAM TAPE

- Double sided neoprene tape
- Double sided polyethylene tape

ELECTRICAL SOLUTIONS

- Industrial electrical tape

Cellux 
PROTECTIVE COATINGS



MASKING SOLUTIONS

 cellux.us

STATIONERY MASKING TAPE



ISO 9001
CERTIFIED

ISO 14001
CERTIFIED

ISO 45001
CERTIFIED

Cellux Stationery Masking Tape is your best companion for those complex projects that require clean cuts, uniform application and easy clean-up. It's the only masking tape with its easy application and clean removal. The tape comes readily only tear off with the roller without any additional effort with Cellux Stationery Masking Tape.

- Excellent
- Great results
- Good to clean
- Easy to remove
- Available in rolls

ITEM	WIDTH (mm)	LENGTH (m)	DESCRIPTION	QTY
C-STATIONERYMASKING TAPE	12mm	50		1
C-STATIONERYMASKING TAPE	25mm	50		1

GENERAL PURPOSE MASKING TAPE



Our General Purpose Masking Tape is available in a variety of sizes with easy application and clean removal. It's the only masking tape perfect for creating clean lines and protecting surfaces during painting.

Cellux is general purpose tape where clean, uniform application and clean removal are your primary concerns with no messy application or clean-up. Cellux is available in a variety of widths and lengths. Cellux Masking Tape is perfect for creating clean lines and protecting surfaces during painting.

- Easy to apply
- Excellent results
- Easy to remove
- Temporary protection

ITEM	WIDTH (mm)	LENGTH (m)	DESCRIPTION	QTY
C-GENERALPURPOSEMASKING TAPE	12mm	50		1
C-GENERALPURPOSEMASKING TAPE	18mm	50		1
C-GENERALPURPOSEMASKING TAPE	25mm	50		1
C-GENERALPURPOSEMASKING TAPE	38mm	50		1
C-GENERALPURPOSEMASKING TAPE	50mm	50		1



YELLOW GENERAL MARKING TAPE

0075



Introducing our Yellow General Marking Tape 0075 perfect for marking of lines. With its high visibility yellow color and 30mm adhesive border for marking on any wet or porous surface even in hard to reach areas. It features a unique 30mm wide border, ensuring the painting process. Thanks to its clear surface it is convenient to use for quality control for yellow tapes.

-  is available
-  high visibility
-  adhesive joint lines
-  easy cutting
-  30mm adhesive border

Size	width (mm)	adhesive (mm)	thickness (mm)	Weight
1. 50x1000x1000	100	30	0.4	1
2. 50x1000x500	100	30	0.4	0.5
3. 50x1000x250	100	30	0.4	0.25
4. 50x1000x125	100	30	0.4	0.125

CONTRACTOR GRADE MARKING TAPE

0076



Our Contractor Grade Marking Tape 0076 is made of an advanced adhesive technology that has been selected as the best joint tape for heavy weight specialty. It provides high performance with high performance technology in the structure, durability, and is easy to install, allowing up to 10 days of installation.

-  high strength
-  high performance
-  adhesive joint lines
-  easy installation
-  10mm adhesive

Size	width (mm)	adhesive (mm)	thickness (mm)
1. 50x1000x1000	100	10	0.4
2. 50x1000x500	100	10	0.4
3. 50x1000x250	100	10	0.4
4. 50x1000x125	100	10	0.4



BLUE PAINTER'S MASKING TAPE



Introducing our premium Blue Painter's Masking Tape 3336. Its perfect combination of performance and design is designed for creating the high quality, professional look, long term value protecting surfaces from construction and service professionals working with the stress and abrasions that result in when you create customer service and service without your masking without worrying about sticky edges. That's the reputation of our Blue Painter's Masking Tape for a reason from every day.

- Performance
- Great value
- Superior look
- Easy to use
- Strong joint lines
- Resistant to staining for up to 10 days

Size	Thickness	Adhesive Type	Weight	Rolls
1. 3336-30X150	3"	MS	14	5
2. 3336-30X100	3"		24	5
3. 3336-30X75	3"		34	5
4. 3336-30X50	3"		54	5



YELLOW BODY SHOP MASKING TAPE



The Body Shop Masking Tape 3337 is a collection of performance and design that is a great price for the high quality performance surface protection. Its combination of performance and design is designed for creating the high quality, professional look, long term value protecting surfaces from construction and service professionals working with the stress and abrasions that result in when you create customer service and service without your masking without worrying about sticky edges. That's the reputation of our Yellow Body Shop Masking Tape for a reason from every day.

- Superior look
- Superior value
- Easy to use
- Superior joint lines
- High performance and stability
- Resistant to staining for up to 10 days

Size	Thickness	Adhesive Type	Weight	Rolls
1. 3337-30X150	3"	MS	14	5
2. 3337-30X100	3"		24	5
3. 3337-30X75	3"		34	5
4. 3337-30X50	3"		54	5



HIGH PERFORMANCE PAINTING MASKING TAPE

CELLUX HT-100



100
FT



High quality and speed all over the High Performance Masking Tape HT-100. The tape is readily applied to various type surfaces and offers outstanding performance characteristics with superior adhesion and stability. It comes in various widths, whether you're covering painting, finishing, or general projects.

- Strong adhesive bond.
- Easy to remove from the surface.
- High performance and stability.
- An excellent universal performance.

Size	Weight	Application	Material
1. 3" x 100' x 100' (91.44m)	1.5kg	HT-100	HT-100
2. 3" x 100' x 100' (91.44m)	1.5kg		HT-100
3. 3" x 100' x 100' (91.44m)	1.5kg		HT-100
4. 3" x 100' x 100' (91.44m)	1.5kg		HT-100

ORANGE WEATHERPROOF PAINTING TAPE

CELLUX HT-100



100
FT



Orange Weatherproof Masking Tape HT-100 is a professional grade weather proof, high performance tape. It offers superior performance characteristics when you're covering the tape after painting surfaces in various colors and when you're using specialty pigments or decorative applications and applications. It offers superior performance when you're using any type of painting material including top temperature paint and is easy to remove quickly and easily.

- Easy to apply.
- Easy to remove.
- Strong adhesive bond.
- High temperature resistance.
- Strongly adhesive, great for painting, sand, weathering.

Size	Weight	Application	Material
1. 3" x 100' x 100' (91.44m)	1.5kg	HT-100	HT-100
2. 3" x 100' x 100' (91.44m)	1.5kg		HT-100
3. 3" x 100' x 100' (91.44m)	1.5kg		HT-100



WEATHERPROOF SUPERIOR

ALL-SEASON TIRE

100%



100%
TREAD



Our Superior Weatherproof Tires are designed to be the most comprehensive of all-weather tires. They are an ideal solution for safety and stability, ensuring secure driving during the winter season, getting you safely home. The high-visibility orange sidewall increases safety without making it a winter drive for you and offers the ability to monitor tire pressure. That's the Celfix difference.

Now to address the challenge of all-weather tires, we've created our weather technology that works for all your weather.

-  Weatherproof, all-weather.
-  High visibility.
-  Resistance to tread wear.
-  Safety monitor tire sensor.
-  Resistance to cuts & blows.

Size	Load Index	Speed Rating	Construction
P-235/65R17	91	100	MS
P-235/60R18	91		MS
P-235/55R19	91		MS

SUPERIOR FINE LINES

ALL-SEASON TIRE

100%



100%
TREAD



Our Superior Fine Lines are designed to be the most comprehensive of all-weather tires, getting you safely home with a water-based winter solution.

Our superior technology also uses a dual tread and rubber compound designed to allow you to drive safely in winter. So up to 30% more grip, especially on icy roads. Our superior technology is what makes our tires the most comprehensive of all-weather tires, getting you safely home with a water-based winter solution.

-  High traction.
-  Safe solution.
-  Durability.
-  More grip technology.
-  Superior winter solution.
-  Superior winter solution.

Size	Load Index	Speed Rating	Construction
P-235/65R17	91	100	MS
P-235/60R18	91		MS
P-235/55R19	91		MS
P-235/50R20	91		MS
P-235/45R21	91		MS
P-235/40R22	91		MS



Cellux 
SOLUTIONS



PACKAGING SOLUTIONS

 cellux.us



2500

The **Heavy Duty Packaging Tape 2500** supports up to 100 lb in weight under standard dry conditions. It is ideal for heavy-duty applications, offering excellent adhesion and strength. Thanks to its 20000 tenacity, it is tear resistant and its adhesive guarantees a long useful life during storage. This tape can be used on its substrate directly by printing or it will apply force.



3000

The **Heavy Duty Packaging Tape 3000** is the ideal choice for the packaging industry, where greater resistance is required. It holds up to 100 lb in weight. Thanks to its 20000 tenacity, it is tear resistant and its adhesive guarantees a long useful life during storage. This tape can be used on its substrate directly by printing or it will apply force.



4000

The **Heavy Duty Packaging Tape 4000** is the ideal choice for the packaging industry, where greater resistance is required. Thanks to its 20000 tenacity, it provides tear resistance that will ensure a long useful life during storage.

HEAVY DUTY
PACKAGING TAPE
2500/3000/4000



The **Heavy Duty Packaging Tape 2500/3000/4000** is ideal for packaging requiring superior performance. Its properties make this a highly weight-resistant tape designed for heavy-duty tasks, saving operations. Its highly aggressive adhesive provides the necessary adhesion and support for the most demanding packaging work.

- Superior strength.
- High durability, making it suitable for demanding applications.
- Resistant to use with moisture.

Model	Weight (kg)	Length (m)	Width (mm)	Roll diameter (mm)	Core diameter (mm)
2500/3000/4000	4000	27	100	80	12.500
2500/3000/4000		30		80	12.500
2500/3000/4000		33		80	12.500
2500/3000/4000		36		80	12.500
2500/3000/4000		39		80	12.500



PRODUCTION GRADE

PACKAGING TAPE



The **Production Grade** - **Model 1070** is a packaging tape perfect for both manual and automated operations in multi-weight distribution, general manufacturing and shipping environments. Environmentally preferred for its high strength and stiffness, our tape boasts superior performance for smooth, tear-free unwinding with excellent performance, long-term production efficiency while minimizing tape waste.

- ✓ Excellent seal performance
- ✓ Ideal seal strength
- ✓ Excellent performance in high-speed applications

Model	Thickness (mil)	Width (in)	Weight (lb)	Core Size (in)	Dimensions (in)
Cellux 1070-12	4 mil	2"	100	3.5"	36"
Cellux 1070-18		3"			48"
Cellux 1070-24		4"			72"
Cellux 1070-36		6"			108"
Cellux 1070-48		8"			144"



Cellux is a registered trademark of Cellux Corporation. All other trademarks are the property of their respective owners.



Cellux
EST. 2010



SURFACE PROTECTION SOLUTIONS

 cellux.us

RED STUCCO TAPE



The Red Stucco Tape (RST) is an essential tool for construction projects such as installing exterior, masonry, and insulation. When working in these areas, having a high-quality stucco tape makes a big difference in efficiency and ensuring the job is done right. For construction workers to complete their projects:

- Superior strength
- High durability making it suitable for demanding applications
- Resistant to salt and moisture

Size	Thickness (mm)	Width (mm)	Weight (kg)	Roll Length (m)	Roll Volume (m ³)
1.20x0.60x0.005	5.0	600	1.0	100	0.06000



WINDOW GUARD

Blue Polyethylene Film

0.005



The Blue Protection Film for windows (BPF) is a blue polyethylene film. The product adheres to glass or coating from edge to edge allowing the film to stay in place - although it has the necessary adhesion to get the job done. It can be removed without damaging the surface or coating underneath. It is suitable for both indoor and outdoor environments.

- Excellent performance in demanding construction projects.
- Self-adhesive polyethylene film.
- Resistant.
- All edges must be removed.
- Recommended for outdoor use.

Size	Thickness (mm)	Width (mm)	Weight (kg)	Roll Length (m)	Roll Volume (m ³)
1.20x0.60x0.005	5.0	600	1.0	100	0.06000





SPECIALTY PACKAGING SOLUTIONS



100%
RECYCLABLE
ENVIRONMENT
FRIENDLY



"INNOVATIVE ADHESIVE
TAPE SOLUTIONS FOR
EVERY INDUSTRY."



GUMMED PACKAGING TAPE **4000**



Gummed Packaging Tape 4000 is made from two coated kraft paper with a water-activated rubber glue coating. The glue for the environmental, customer solution is fast-dry and temperature resistant. It is ideal for heavy industrial packaging, suitable to brown and white.

- Water-activated adhesive
- Fast-dry product
- Greater strength with the use of stitching
- 100% recyclable & environment friendly

Code	Thickness (mm)	Width (cm)	Weight (kg)	Dimensions	Material
4000	0.50	2"	50	2x	Red & White Mesh

REINFORCED GUMMED TAPE **4000**



The Reinforced Gummed Tape 4000 is the perfect tape for industrial packaging in every weight category. Its coated paper, though it fulfills the most demanding requirements concerning tear resistance, strength and temperature stability, the tape is ideally suited for packages with delicate and sensitive contents, as well as for international transport.

- Fast-dry product
- Water-activated adhesive
- Greater strength with the use of stitching
- 100% recyclable & environment friendly

Code	Thickness (mm)	Width (cm)	Weight (kg)	Dimensions	Material
4000	0.50	2"	50	2x	Red & White Mesh

Cellux 



REFRIGERATION SOLUTIONS

FOIL TAPE

1000



The **Ultimate Foil Tape Model 1000** is a high-quality adhesive tape designed for water applications and general purpose use. Made from strong aluminum foil backing, this tape is perfect for sealing ducts, utility enclosures, as well as for insulation and other general sealing purposes. Its non-corrosive properties make it ideal for electrical and auto environments, and its strong adhesive creates a secure and long-lasting bond. Manufactured by Cellux, this perfect solution for water performance, construction, and general use provides best available construction tape for critical sealing and insulation needs.

- **Best performance for**
- **Highly corrosive**
- **Aggressive weight loss situations**
- **Insulative blankets**
- **Insulation backing**
- **Manufacture that follows**
- **Temp. values after application**
- **Seals and insulates fast**

Size	Thickness (mil)	Width (in)	Length (ft)	Weight (lb)	Application
1000	11	2"	60'	24	Heat shield cover
1000		1"	60'	6	Heat shield cover

UTILITY GRADE DUCT TAPE

1000



The **Utility Grade Duct Tape Model 1000** is a heavy-duty application of polypropylene (PP) and polyethylene (PE) fully compounded by an aggressive process creates a heavy rubber adhesive. Its robust construction makes it ideal for demanding applications, providing exceptional adhesion and strength. Due to its flexibility, allows it to conform seamlessly to irregular surfaces, ensuring a secure bond even in challenging situations. Whether your primary concern is repair, making property or industrial applications that demand tape to deliver consistent performance and durability.

- **Adhesive strength**
- **Weather resistance**
- **Flexibility and durability**
- **Many applications**
- **Temporary sealing in high-traffic conditions**

Size	Thickness (mil)	Width (in)	Length (ft)	Weight (lb)	Application
1000	10	2"	60'	24	DUCT TAPE



PREMIUM DUCT TAPE

0270



The **Premium Duct Tape** is a Polyethylene (PE) coated duct tape designed with an aggressive pressure sensitive adhesive surface. Intended for superior adhesion to diverse surfaces across a wide range of temperature conditions. Designed to meet the demands of challenging applications, this tape offers superior performance, reliability, flexibility, and adhesion to metal substrates. It is specifically designed for demanding repair and assembly efforts on irregular surfaces in construction and maintenance projects.

- Strong adhesion
- Wide range of temperature
- Easily conforms to irregular surfaces
- Aggressive and waterproof adhesive

ITEM	Thickness (mm)	Width (mm)	Length (m)	Roll Weight (kg)	Dimensions (mm)
C-180 (0.25)	0.25	25	50	0.25	1000 x 50

REINFORCED FOIL TAPE

0270



The **Reinforced Aluminum Foil Tape** with **Aluminum Foil** and **PE** surface designed for superior performance thermal applications. Its flexible reinforced mesh of glass strands in the substrate, support and insulates all wiring pipes. Its adhesive provides superior adhesion to the underlying wall.

- Exceptional resistance even to extreme temperature conditions
- Reinforcing a strength to resist stretch and flex of wires
- Reinforcing a strength to resist stretching or tearing
- The natural silver finish to resist oxidation, providing extra protection and insulation

ITEM	Thickness (mm)	Width (mm)	Length (m)	Roll Weight (kg)	Dimensions (mm)
C-180	0.2	25	50	0.25	Heat shrink up to 100%
C-180		30	60	0.3	Heat shrink up to 100%



Cellux 
EST. 1982



**FOAM
TAPES**

 cellux.us

NEOPRENE TAPE



DOUBLE SIDED

The **Black Neoprene Foam Tape 3476** is a special high-strength, double-sided tape designed for providing support on a variety of surfaces and environments.

It is safe due to its long duration. It is ideal for the automotive industry.

- High performance in environmental conditions.
- It can be changed.
- Resistant to salt mounting.
- High resistance.
- Can be applied on multiple surfaces.
- Long duration.
- Resistant to moisture and substances.
- Resistant.
- Resistant.

TYPE	THICKNESS (mm)	WIDTH (mm)	LENGTH (m)	ROLL WEIGHT	DESCRIPTION
C-476	36	150	30	16	Individual roll
C-476		7	30	12	Individual roll
C-476		150	30	8	Individual roll



© 2018 Celfix. All rights reserved. Celfix is a registered trademark of Celfix. Celfix is a registered trademark of Celfix.



Cellux 
EST. 1988



**ELECTRICAL
SOLUTIONS**

 cellux.us

ELECTRICAL TAPE

1000



INDUSTRIAL ELECTRICAL TAPE

The 1000 Industrial electrical tape is a PVC based tape ideal for projects in the electrical industry. Certified under the IEC60384 standard, this electrical tape has excellent dielectric and memory recovery properties. The 1000 is tested and insulates up to 1000V.

- Stretch and flexibility.
- Resistant to abrasion, moisture, alkalies, acids, corrosion, and varying weather conditions.
- Cold and sunlight resistant.

Part	Thickness (mm)	Width (mm)	Length (m)	Roll weight (kg)	Application
1000	1	12.7	18	180	Electrical wrap



Cellux is a registered trademark of Cellux S.p.A. All rights reserved. Cellux S.p.A. - Via S. Maria 10 - 20139 Milano - Italy



SAFE
Features

C-578
14" x 18"
100 sheets x 100

Cellux

defined
edges



ce

Cellux®



Cellux +
100% Recycled